usp

SAFETY DATA SHEET

1. Identification

Product identifier Dofetilide

Other means of identification

 Catalog number
 1224937

 CAS number
 115256-11-6

Chemical name Methanesulfonamide,

N-[4-[2-[methyl[2-[4[(methylsulfonyl)amino]phenoxy]ethyl]amino]ethyl]phenyl]-

Recommended use For analytical laboratory use only.

Recommended restrictions Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name U. S. Pharmacopeia
Address 12601 Twinbrook Parkway

Rockville

MD

20852-1790 United States

Telephone Technical Services 301-816-8129

Website www.usp.org
E-mail RSTECH@usp.org

Emergency phone number CHEMTREC within US & 1-800-424-9300

Canada

CHEMTREC outside US & +1 703-527-3887

Canada

2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsAcute toxicity, oralCategory 4

Serious eye damage/eye irritation Category 2B Reproductive toxicity Category 1

Specific target organ toxicity, repeated Category 1 (cardiovascular system)

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes eye irritation. May damage fertility or the unborn child. Causes

damage to organs (cardiovascular system) through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned:

Get medical advice/attention.

Storage Store locked up.

Material name: Dofetilide USP SDS US

1224937 Version #: 03 Revision date: 05-20-2021 Issue date: 12-02-2009

Disposal

classified (HNOC)

Hazard(s) not otherwise

Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is supplied in a small quantity which does not constitute a combustible dust hazard. The physical properties of this material indicate that in large quantities accumulated dust may be

hazardous.

Supplemental information

Potent pharmacologically active material.

3. Composition/information on ingredients

Substance

Chemical name	Common name and synonyms	CAS number	%
Dofetilide		115256-11-6	100

4. First-aid measures

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Do not use mouth-to-mouth method if the substance is inhaled. Call a physician if symptoms

develop or persist.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

> If ingestion of a large amount does occur, call a poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head

Potent pharmacologically active material. Occupational exposure to small amounts may cause

low so that stomach content doesn't get into the lungs.

Most important

Ingestion

symptoms/effects, acute and delayed

physiological effects.

Indication of immediate medical attention and special

treatment needed **General information** Treat symptomatically.

Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace

chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must

receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media Water, Foam, Dry chemical or CO2. Use fire-extinguishing media appropriate for surrounding

materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Explosion hazard: Avoid generating dust: fine dust dispersed in air in sufficient concentrations and

in the presence of an ignition source is a potential dust explosion hazard.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

equipment/instructions

Specific methods

Use water spray to cool unopened containers. As with all fires, evacuate personnel to a safe area.

Firefighters should use self-contained breathing equipment and protective clothing.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS. Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up Avoid the generation of dusts during clean-up. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: Dofetilide USP SDS US

7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP materials, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Combustible dust clouds may be created where operations produce fine material (dust). Select and use containment devices and personal protective equipment based on a risk assessment of material potency and exposure potential.

Conditions for safe storage, including any incompatibilities

Store in tight container. This material should be handled and stored per label instructions to ensure

product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Exposure limit values

ı	Ind	ustr	ial	llea
	IIIU	เนอน	ıaı	use

Material	Туре	Value
Dofetilide (CAS 115256-11-6)	TWA	2 micrograms/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

No open handling. For laboratory operations, use approved ventilation or containment system (biological safety cabinet, ventilated balance enclosure, glovebox). Control exposures to below the occupational exposure level (if available). Select and use containment devices and personal protective equipment based on a risk assessment of exposure potential. Cover all containers for solutions and slurries while being transferred.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.

Skin protection

Hand protection

Consider double gloves. Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection

against the solvent.

Other

Train employees in proper gowning and degowning practices. Wear disposable lab coat, disposable sleeve covers and two pair of gloves as appropriate for the task. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use. Do not wear protective garments in common areas (e.g., cafeterias) or out-of-doors.

Respiratory protection

Use a powered air-purifying respirator (PAPR) with HEPA filters, disposable outerware and head cover for spill cleanup. Choose respiratory protection appropriate to the task and the level of existing engineering controls.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Pharmacological effects may be seen with occupational exposure. Handling practices in this SDS are recommendations for laboratory use of USP materials.

9. Physical and chemical properties

Appearance Appearance descriptions are general information and not specific to any USP lot.

Physical state Solid.

Form Crystalline powder.
Color White. Off-white.

Odor Odorless.

Odor threshold Not available.

PH Not available.

Melting point/freezing point 327.2 °F (164 °C)

Initial boiling point and boiling Not available.

range

Flash point Not available.

Material name: Dofetilide USP SDS US

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

or pressure Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Very slightly soluble.

Solubility (other) Propan-2-ol: Very slightly soluble.

Acetone: Soluble.

0.1M hydrochloric acid: Soluble.

Partition coefficient (n-octanol/water)

1.7

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Molecular formula C19H27N3O5S2

Molecular weight 441.56

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong acids and oxidizers.

Hazardous decomposition

products

Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions. NOx. SOx.

11. Toxicological information

Information on likely routes of exposure

InhalationKnowledge about health hazard is incomplete.Skin contactKnowledge about health hazard is incomplete.

Eye contact Causes eye irritation.

Ingestion Harmful if swallowed. Based on information from therapeutic use, this material may cause:

Cardiovascular effects.

Symptoms related to the physical, chemical and toxicological characteristics

Rash. Headache. Dizziness. Gastrointestinal disturbances. Chest pain. Irregular heartbeat. Sweating. Tiredness. Difficulty sleeping. Upper respiratory tract infection. Flu-like symptoms. Back

pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product Species Test Results

Dofetilide (CAS 115256-11-6)

Oral

LD50 Rat > 300 mg/kg

Material name: Dofetilide USP SDS US

1224937 Version #: 03 Revision date: 05-20-2021 Issue date: 12-02-2009

Product Species Test Results

Causes eye irritation.

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Local effects

Irritancy test Result: Irritant. Species: Rabbit Organ: Eye Severity: Mild Irritancy test Result: Non-irritant. Species: Rabbit Organ: Skin

Respiratory or skin sensitization

Respiratory sensitization Knowledge about health hazard is incomplete.

Skin sensitization Based on available data, the classification criteria are not met.

Active anaphylaxis test Result: Non-sensitizing. Species: Guinea pig

Guinea pig maximization test Result: Non-sensitizing. Species: Guinea pig

Organ: Skin

Passive cutaneous anaphylaxis test

Result: Non-sensitizing. Species: Guinea pig

Germ cell mutagenicity

Knowledge about mutagenicity is incomplete.

Mutagenicity

Ames test in S. typhimurium and E. coli

Result: Negative.

In vitro chromosome aberration test in human lymphocytes

Result: Negative.

In vivo chromosome aberration test in mouse bone marrow

Result: Negative.

Mammalian mutagenicity test in mouse lymphoma cells

Result: Negative.

Carcinogenicity

Based on available data, the classification criteria are not met.

10 mg/kg/day Dietary carcinogenicity study

Result: No evidence of an increased incidence of tumors

compared to controls.

Species: Rat

Test Duration: 24 months

20 mg/kg/day Dietary carcinogenicity study

Result: No evidence of an increased incidence of tumors

compared to controls. Species: Mouse

Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

May damage fertility or the unborn child. Reproductive toxicity

Material name: Dofetilide USP SDS US Reproductivity

> 2 mg/kg/day Reproductivity

Result: Adversely affected in utero growth and survival.

Species: Rodent

Specific target organ toxicity -

single exposure

Knowledge about health hazard is incomplete.

Specific target organ toxicity -

repeated exposure

Causes damage to organs () through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Potent pharmacologically active material. Occupational exposure to small amounts may cause

physiological effects.

12. Ecological information

Ecotoxicity Toxic to aquatic organisms.

Product Species Test Results

Dofetilide (CAS 115256-11-6)

Aquatic

Crustacea LC50 Daphnia magna 1.7 mg/l, 48 hours

Persistence and degradability

No data is available on the degradability of this substance.

Bioaccumulative potential

Octanol/water partition coefficient log Kow

1.7

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Dofetilide)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

IATA

UN number UN3077

UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Dofetilide)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

Other information

Passenger and cargo

aircraft

Allowed with restrictions.


Cargo aircraft only Allowed with restrictions.

Material name: Dofetilide usp sps us

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

DOT; IATA



General information

It is the shipper's responsibility to determine the correct transport classification at the time of

shipment.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Acute toxicity (any route of exposure) categories Serious eye damage or eye irritation

Yes

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Chemical Substances (AICS) No

Material name: Dofetilide USP SDS US

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Korea Existing Chemicals List (ECL) No
New Zealand Inventory No

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

16. Other information, including date of preparation or last revision

Inventory name

 Issue date
 12-02-2009

 Revision date
 05-20-2021

Version # 03

Country(s) or region

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Disclaimer USP materials are sold for analytical laboratory use only, and NOT for human consumption. The

information contained herein is applicable solely to the chemical substance when used for analytical laboratory use and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP materials are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE is made with respect to the information contained herein.

Material name: Dofetilide usp sps us

1224937 Version #: 03 Revision date: 05-20-2021 Issue date: 12-02-2009

On inventory (yes/no)*

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).